

CD Herbal Detox Protocol and Usage Guide

A Professional Strength, Broad-Spectrum Protocol for Intestinal Bacterial Challenges



The formulas made by Biocidin Botanicals meet the highest professional standards of quality and potency and have been used by doctors and holistic healthcare professionals since 1987.

EmbraceHealthNaturals.com

Michelle Moore
Microbiologist and Holistic Health Advocate



Contents

CD Herbal Detox Protocol	1
Daily Supplement Schedule	5
Frequently Asked Questions	6
Biocidin®	10
Olivirex®	11
G.I. Detox™+	12
Precautions	13

Copyright © 2023 Michelle Moore

Published by Embrace Health, Inc.

All Rights Reserved

Tenth Edition

This manual contains material that is protected under International and Federal Copyright Laws and Treaties. No part of this publication may be reproduced, retransmitted, or distributed in any form or by any means without prior written permission of the publisher.

The information in this manual is for educational purposes only. The information is not medical advice nor is it a substitute for health advice or medical care from a health care professional. A health care professional should be consulted before making any diet, lifestyle or supplement changes. There shall neither be liability nor responsibility should the information provided in this guide be used in any manner other than for educational purposes.


Cover Design: Les Moore. Cover photo © Fotolia/Studio Barcelona.

CD Herbal Detox Protocol

The CD Herbal Detox Protocol includes three medicinal grade supplements from Biocidin Botanicals (Biocidin®, Olivirex® and G.I.Detox™+) that target the GI tract. For best results include a probiotic, an immune boosting diet and the steps outlined in chapter 1 of Michelle Moore's book.

Usage	Biocidin® Liquid	Olivirex®	G.I.Detox™+
<p>Adults with Mild to Moderate Challenges</p> <ul style="list-style-type: none"> • Active intestinal challenges with mild to moderate symptoms • Mild to moderate diarrhea and gastrointestinal discomfort 	<p>Week 1: 1 - 2 drops three times a day, on an empty stomach*.</p> <p> X 3 Food</p>	<p>Week 1: 1 capsule twice a day.</p> <p> X 2</p>	<p>2 capsules one or two times a day with a large glass of water, between meals.</p> <p> X 1 or 2 Food</p>
	<p>Week 2: Increase to 3 - 5 drops three times a day, on an empty stomach*, if well tolerated.</p> <p> X 3 Food</p> <p>Duration of Use: Continue using 3 - 5 drops three times a day for 2 - 3 months, if well tolerated.</p> <p>How to Take: May be taken by applying directly on the tongue or diluted in ¼ cup of water or juice.</p> <p>*An empty stomach is at least 20 minutes before or 2 hours after a meal.</p>	<p>Week 2: Increase to 2 capsules twice a day, if well tolerated.</p> <p> X 2</p> <p>May be taken at the same time as Biocidin.</p> <p>Duration of Use: Continue using 2 capsules twice a day for 2 - 3 months, if well tolerated.</p> <p>Note: May cause nausea when taken at same time as antibiotics. If so, take with food at least 1 hour apart from antibiotics, or finish the antibiotic course before starting Olivirex.</p>	<p>Use at least 1 hour away from any food, Biocidin, Olivirex, other supplements and medications.</p> <p>Take on empty stomach, at least 1 hour before or after meals.</p> <p>If swallowing capsules without food is difficult, then open the capsules, put the contents into ¼ cup water, mix well and then drink.</p> <p>Duration of Use: Continue for 2 - 3 months, if well tolerated.</p>

Usage	Biocidin® Liquid	Olivirex®	G.I.Detox™+
<p>Adults with Severe or Acute Challenges</p> <ul style="list-style-type: none"> • Active intestinal challenges with severe or acute symptoms • Severe or acute diarrhea and gastrointestinal discomfort 	<p>Week 1: 1 - 2 drops three times a day, on an empty stomach*.</p> <p> X 3 Food</p> <p>Week 2: Increase to 3 - 5 drops three times a day, on an empty stomach*, if well tolerated.</p> <p> X 3 Food</p> <p>Week 3: Increase to 6 - 10 drops three times a day, on an empty stomach*, if well tolerated.</p> <p> X 3 Food</p> <p>Duration of Use: Continue using 6 - 10 drops three times a day for 2 - 3 months, if well tolerated.</p> <p>How to Take: May be taken by applying directly on the tongue or diluted in a ¼ cup of drink.</p> <p>*An empty stomach is at least 20 minutes before or 2 hours after a meal.</p>	<p>Week 1: 1 capsule twice a day.</p> <p> X 2</p> <p>Week 2: Increase to 2 capsules twice a day, if well tolerated.</p> <p> X 2</p> <p>Week 3: Increase to 2 capsules three times a day, if well tolerated.</p> <p> X 3</p> <p>May be taken at the same time as Biocidin.</p> <p>Duration of Use: Continue using 2 capsules three times a day for 2 - 3 months, if well tolerated.</p> <p>Note: May cause nausea when taken at same time as antibiotics. If so, take with food at least 1 hour apart from antibiotics, or finish the antibiotic course before starting Olivirex.</p>	<p>2 or 3 capsules twice a day with a large glass of water, between meals.</p> <p> X 2 Food</p> <p>Use at least 1 hour away from any food, Biocidin, Olivirex, other supplements and medications.</p> <p>Take on empty stomach, at least 1 hour before or after meals.</p> <p>If swallowing capsules without food is difficult, then open the capsules, put the contents into ¼ cup water, mix well and then drink.</p> <p>Duration of Use: After acute symptoms subside reduce usage amount to Mild to Moderate level and continue for 2 - 3 months, if well tolerated.</p>

Usage	Biocidin® Liquid	Olivirex®	G.I.Detox™+
<p>Maintenance</p> <ul style="list-style-type: none"> • Adults: May be used for 6 - 12 months after all challenges resolve for preventative support 	<p>3 - 5 drops once a day, on an empty stomach*.</p> <p> X 1 Food</p> <p>*An empty stomach is at least 20 minutes before or 2 hours after a meal.</p>	<p>1 capsule once a day. May be used at same time as Biocidin.</p> <p> X 1</p> <p>Note: May cause nausea when taken at same time as antibiotics. If so, take with food at least 1 hour apart from antibiotics, or finish the antibiotic course before use.</p>	<p>1 - 2 capsules once a day with a large glass of water, between meals.</p> <p> X 1 Food</p> <p>Use at least 1 hour away from any food, Biocidin, Olivirex, other supplements and medications.</p> <p>Take on empty stomach, at least 1 hour away from meals.</p>
<p>Children</p> <ul style="list-style-type: none"> • Gradually work up to the amounts listed for children less than age 12 • Use for 2 - 3 months, if well tolerated 	<p>Children under 12: 1 drop for every 10 pounds of body weight per day, in <i>divided amounts*</i>. Use ½ hour before meals.</p> <p>Severe: up to 2 drops per 10 pounds per day may be used if well tolerated.</p> <p>Maintenance: ½ drop per 10 pounds per day may be used for long-term immune support.</p> <p>*Divided amounts: Divide the usage to twice a day (a 40 lb child could use 2 drops AM and 2 drops PM, for a total of 4 drops a day.)</p> <p> X 2 Food</p>	<p>Do not use Olivirex with children under age 2. Use Biocidin® instead.</p> <p>Children ages 2 - 6: Open capsule and put ¼ of contents into apple sauce or other food twice a day.</p> <p> X 2</p> <p>Children ages 7 -12 who can swallow a capsule may use ½ capsule twice a day.</p> <p> X 2</p> <p>Teenagers may use 1 capsule twice a day.</p> <p> X 2</p> <p>May be used at the same time as Biocidin.</p>	<p>Children under 50 lbs: 1/2 capsule once per day.</p> <p> X 1 Food</p> <p>Children over 50 lbs: the adult usage amounts may be used.</p> <p>Take on empty stomach, at least 1 hour away from meals</p> <p>Use at least 1 hour away from any food, Biocidin, Olivirex, other supplements and medications.</p> <p>May be mixed with juice or other liquids.</p>

Usage	Biocidin® Liquid	Olivirex®	G.I.Detox™+
Pregnancy and Nursing Mothers	<p>Do not use during pregnancy.</p> <p>Breast feeding mothers may use at ½ the recommended adult usage if well tolerated.</p>	<p>Do not use during pregnancy.</p> <p>Breast feeding mothers may use at ½ the recommended adult usage if well tolerated.</p>	<p>Not recommended for use during pregnancy.</p> <p>Breast feeding mothers may use the recommended adult usage amount after starting at a half dose for a few days, if well tolerated by the infant.</p>
Special Precautions	<p>Do not use before surgery as some herbs may have a blood thinning effect.</p> <p>Discontinue use if adverse reactions occur.</p> <p>If you have had a fecal transplant, then avoid using Biocidin for at least two to three weeks after the transplant. It is recommended to wait until a healthcare professional thinks your G.I. tract has stabilized before considering using Biocidin.</p>	<p>Do not use before surgery as some herbs may have a blood thinning effect.</p> <p>Discontinue use if adverse reactions occur.</p> <p>Note: For some people, may cause nausea when taken at the same time as antibiotics. If so, take with food at least 1 hour apart from antibiotics, or finish the antibiotic course before starting Olivirex.</p>	<p>Discontinue use if adverse reactions occur.</p>

Daily Supplement Schedule

Print the table below to help you schedule times to take each of your supplements. Enter the quantity to take and the time to take in the boxes where applicable. Use the blank rows to record any other supplements you take. *An empty stomach is at least 20 minutes before or 2 hours after a meal.

Take These Supplements	At These Times Daily							
	Before Breakfast	With Breakfast	Mid-Morning	With Lunch	Mid-Afternoon	With Dinner	Mid-Evening	During night
 Biocidin® Take on an empty stomach*.	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time
 Olivirex® Take with Biocidin.	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time
 GI Detox™+ Take on empty stomach, at least 1 hour away from meals and 1 hour away from Biocidin, Olivirex, medications and other supplements.	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time
	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time
	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time
	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time
	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time
	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time	Quantity Time

Frequently Asked Questions

Q. Are the Biocidin Botanicals products OK to take with antibiotic drugs?

A. The Biocidin, Olivirex and G.I. Detox+ products are generally very safe and can actually support the body to heal when used along with treatments, including antibiotics. However, the Biocidin Botanicals products should generally be taken a few hours apart from antibiotic drugs. This is because some supplements can interfere with or reduce the effectiveness of some antibiotics. This is a general rule of thumb.

Some people may find taking Olivirex and antibiotics at the same time can cause nausea. To reduce the risk of nausea, take Olivirex with food and at least 1 hour away from antibiotics, or finish the antibiotic course before starting Olivirex.

Also note that because the G.I. Detox+ product contains activated charcoal and clay, it will bind with medications, so it should be used at least one hour apart from medications. For specific interactions between the prescriptions you are taking and any supplements, be sure to consult with your doctor and read the product insert for the drug in question to see which herbs are contraindicated, if any.

Q. Do you have to take the products between meals?

A. Yes. Biocidin and Olivirex work best on an empty stomach. And the G.I. Detox product MUST be taken away from all foods, supplements and drugs to prevent unwanted side effects.

Biocidin and Olivirex should be taken on an empty stomach to maximize absorption. For Biocidin and Olivirex, an empty stomach means at least 20 minutes before or 2 hours after a meal. However, if digestive upset is experienced with Biocidin and Olivirex, they are perfectly safe to take with food. If taken with food (during a meal or half an hour after eating), a little extra Biocidin and Olivirex may be taken to compensate for the hindered absorption.

G.I. Detox will absorb any foods, supplements or drugs taken at the same time. Take the G.I. Detox product at least 1 hour away from any food, Biocidin, Olivirex, other supplements and all medications.

Q. Are the products OK to use with Warfarin, Coumadin, Pradaxa and blood thinners?

A. The Olivirex or Biocidin product labels have no explicit contraindications or problems with blood thinning medications. However, because there are so many different drugs, supplements and potential interactions, there's always a risk when using a particular drug with a particular supplement.

Consult with a doctor and/or read the product insert for any drugs you take to see if there are supplements, foods or other drugs that should be avoided. The ingredients for Olivirex, Biocidin and G.I. Detox+ are listed in the following sections of this guide.

Q. Are these products OK to use with other drugs and medications?

A: The Biocidin Botanicals products are generally well tolerated. However, as a general rule it's best to take these products or any other supplements a few hours apart from medications, especially G.I. Detox+ as it will bind and remove any supplement or medication. Starting slow for a few days before increasing to your target dose is a prudent and conservative approach to using any new supplement. Consult with a doctor and/or read the product insert for any drugs you take to see if there are supplements, foods or other drugs that should be avoided. The ingredients for Olivirex, Biocidin and G.I. Detox+ are listed in the following sections of this guide.

If there is a known contraindication or interaction between one of your medications and a particular remedy, supplement, food or ingredient (such as product ingredients listed later in this guide), then seek the advice of a healthcare professional who is familiar with your medications, the supplement in question, and with your medical condition. As a general rule of thumb, it's best to avoid products with a known contraindication to any drugs you are taking unless otherwise directed by a healthcare professional. In some cases, your doctor may advise you to use products that are contraindicated if the rewards adequately outweigh the risks. Keep in mind that contraindications and interactions are common between multiple medications and drugs, so if you happen to be taking multiple prescriptions, it's important to consult with your doctor about them.

Q. Are these products OK to use with other supplements?

A. Generally speaking, the Biocidin Botanicals products can be used while taking other supplements, or a few hours apart in some cases. If possible, it's best to take probiotics at least one hour away from supplements that have antimicrobial properties (including Biocidin and Olivirex) in order to not reduce the potency of the probiotic. It is important to take G.I. Detox+ at least one hour before or after any other supplement, medication or antimicrobial products to reduce the risk of the product binding with the supplement or medication and rendering it less potent.

Q. Are these products safe after a fecal transplant procedure?

A. It's not uncommon for *C. difficile* infections to return after a fecal transplant procedure. Or, you may want to use Bio-Botanical products preventatively. However, Biocidin Botanicals recommends avoiding the use of Biocidin for at least two to three weeks after a fecal transplant. It is highly recommended that you wait until a healthcare professional thinks the G.I. tract has stabilized before considering using Biocidin.

Q. How long until you see positive results?

A. The Biocidin Botanicals products are professionally formulated for broad spectrum support for stubborn challenges. However, it can take a little time for your body to heal itself and to experience the results you want. It's common to see positive results within a week or two if the body is properly supported and with the appropriate product amount.

However, everyone is different. Also, these products are not a substitute or replacement for a complete program to address the challenge, including immune system support, diet changes, proper cleaning and hygiene, prevention measures, professionally prescribed treatments, and the guidance of a healthcare professional. In addition, advanced age and other health challenges may delay positive results. Because the immune system is often weaker in the elderly, it's common for recovery to take longer than for younger people. Having other concurrent health challenges including cancer, diabetes and other chronic diseases can also complicate and delay healing.

Q. Should you take probiotics along with these products?

A. Yes, **probiotics should be added to the protocol for best results.** It's best to take most probiotics, which are non-spore bases, one hour or more after taking Biocidin, Olivirex and other antibacterial products to help ensure full probiotic potency. However, you can take spore-based probiotics, such as MegaSporeBiotic, HU-58 and RestorFlora, along with Biocidin and Olivirex without significant loss of probiotic potency. Our favorite spore-based probiotics are here: <https://www.embracehealthnaturals.com/product-category/probiotics/>

Which probiotic is best? See our probiotic comparison chart here:
<https://www.embracehealthnaturals.com/probiotics/#chart>

Free Probiotic E-Course

Discover how to restore your gut and unleash the power of your immune system using probiotics in Michelle Moore's free video e-course here:

<https://www.embracehealthnaturals.com/probiotics/register/>



Q. If you miss taking Biocidin or GI Detox+ on an empty stomach, can you still take it after a meal?

A. With the GI Detox+, it's important to wait an hour after eating until the stomach is empty and avoid eating for an hour after taking it. This helps to ensure that the GI Detox+ is "mopping up" bacterial toxins and die-off byproducts and not absorbing food nutrients or medications. Biocidin may be taken with a full stomach, or half an hour after eating. A little extra Biocidin may be taken to compensate for the hindered absorption.

Q. Can you use the products long term?

A. Yes. The Biocidin Botanicals products are typically used for a two to three month period of time. However, product usage may be extended for six to twelve more months for prevention support after all challenges have cleared. See the Maintenance protocol above for details.

Q. What if the challenge has not resolved after three months?

A. Product usage may also be extended beyond three months in cycles if needed for particularly stubborn or recurring challenges that do not resolve after following the standard protocol. The maximum usage amounts are taken in **four week cycles (two weeks on, two weeks off)** for up to a year, if well tolerated. This means taking the products for two weeks, then skipping the products for the following two weeks, then starting the cycle over again.

Please note that the Biocidin, Olivirex and G.I. Detox+ products may not be enough by themselves to stop a stubborn challenge. For best results, these products should be used along with probiotics, immune system support, diet changes, proper cleaning and hygiene, prevention measures, professionally prescribed treatments, and the guidance of a healthcare professional.

Q. Are there any side effects with these products?

A. The Biocidin Botanicals products are generally mild and well tolerated by most people. However, the elderly, young children and people who have a history of being sensitive to supplements or diet changes may want to start slowly for a few days at half the usage level just to make sure there are no negative or detox reactions. If you experience negative side effects with any of these products, it's best to reduce or stop using the product until the symptoms subside. Each person is different and may have a unique reaction to any new supplement or remedy.

Q. Can people with autoimmune disorders, Crohn's Disease or organ transplants use these products?

A: Maybe, but with extra caution. Some remedies such as Echinacea can stimulate the immune system, which may cause problems if you have an autoimmune disease. Also, some diet changes and probiotic supplements may stimulate the immune system and should be used with extra care and under medical supervision. If you have Crohn's disease, an autoimmune disorder or an organ transplant, then extra care should be taken when using the Biocidin Botanicals products. Remedies, diet changes or any other natural methods you intend to use should first be discussed with a medical professional who is familiar with both your condition and the remedies/methods in question.

The Biocidin Botanicals products contain blends of many different herbs, so the content of any single herb, including echinacea is relatively small. However, as is the case when you start taking any new supplement, it is prudent to start slowly with a low dose and monitor your progress for any

potential negative symptoms or reactions. If reactions occur, it's usually best to stop taking the supplements suspected of causing the problem, unless directed otherwise by a healthcare professional familiar with your condition.

Q. Can the elderly use these products?

A: Yes. There are no specific usage amounts listed in the protocol for the elderly. But as mentioned above, starting slow and with a lower usage amount is prudent, at least for a few days.

Q. Can Biocidin Capsules be used instead of Biocidin Liquid?

A: Yes, but the usage amount for Biocidin capsules is different from Biocidin Liquid. The capsule form of Biocidin is very similar to the liquid form. Biocidin Capsules may be preferred if you don't like dealing with liquids, or if you cannot take the liquid form of Biocidin for some reason. For the "Mild to Moderate" usage level, 2 Biocidin capsules once per day is roughly equivalent to the Biocidin Liquid usage amounts listed in this guide. For the "Severe or Acute" usage level, 2 capsules twice per day is equivalent.

Q. Can Biocidin and Olivirex be used for other purposes?

A: Yes. Biocidin and Olivirex have broad spectrum antibacterial, antiviral and anti-parasitic activity. These two products can be helpful for prevention and control of common seasonal viral challenges, especially if taken at the first signs of a problem. These products can also be helpful while traveling or on vacation, especially if taken just before and during your trip as a preventative for contagious bacterial and viral challenges.

Q. Can the G.I. Detox+ be used for other purposes?

A: Yes. It's ok to use G.I. Detox+ as a full spectrum binder as needed, if well tolerated. In addition to helping "mop-up" bacterial toxins in the gut, it can be beneficial if you experience a flare-up of symptoms or if you suspect you are having a "die-off" reaction of bad bacteria (this can happen with the use of probiotics, natural remedies or antibiotics). Symptoms of a die-off reaction may include: fatigue, nausea, gas, bloating, diarrhea or flu-like symptoms. G.I. Detox+ can also be used to help "clean up" the GI system if you've eaten spoiled or have food poisoning as it will help bind the toxins from bad food or bacterial toxins in your digestive system. G.I. Detox+ can also be used to bind endotoxins from Gram-negative bacteria (LPS), heavy metals, pesticide biotoxins and metabolites of yeast, mold and bacteria.

Biocidin® Liquid

Biocidin® Liquid contains a potent blend of botanicals for **broad-spectrum gastrointestinal and immune support** and to promote overall wellness. Backed by independent lab testing concluding the broad effects of its formula, Biocidin® is recommended by doctors of Integrative Medicine who help patients with recurring and resistant health challenges. Ideally suited for general health maintenance and support with cleansing programs⁺.

Key Benefits⁺:

- Potent essential oils and botanicals for broad-spectrum systemic and gastrointestinal support.
- 25 years of effectiveness backed by clinical and laboratory testing.
- Easy to use and mild taste ideal for children and adults.
- Recommended by physicians specializing in gastrointestinal health, autism, candida and Lyme.
- Excellent support addressing Biofilms.

Ingredients: Bilberry extract (25% anthocyanosides), Noni, Milk Thistle, Echinacea (purpurea & angustifolia), Goldenseal, Shiitake, White Willow (bark), Garlic, Grapeseed extract (min 90% polyphenols), Black Walnut (hull and leaf), Raspberry, Fumitory, Gentian, Tea Tree oil, Galbanum oil, Lavender oil (plant and flower), Oregano oil (plant and flower). Other Ingredients: Vegetable Glycerin, (Alcohol less than 2%)



Olivirex®

Olivirex® combines standardized olive leaf extract with natural botanicals into a synergistic blend with enhanced broad-spectrum qualities. High Potency Olive Leaf extract (22-24% oleuropein content average) provides **natural broad-spectrum action, supports the immune system and aids detoxification.**

Olivirex® has been a widely beneficial clinically with anecdotal reports coming from physicians nationwide. Its 20 years of clinical benefit has made this formula indispensable for many. The botanical cofactors in the formula, including Milk Thistle, Uva Ursi and Dandelion, aid elimination via the drainage pathways to help decrease die-off and Herxheimer Reactions. The formula's Cordyceps, American Ginseng and Morinda components support the body to stimulate immune response⁺.

Key Benefits⁺:

- Potent high-oleuropein content Olive Leaf for superior broad spectrum support (minimum 18% Oleuropein).
- Synergistic formula containing immune modulators and adaptogens to aid detoxification and immune response.
- May be combined with Biocidin to address stubborn and recurring clinical challenges and to promote seasonal wellness.

Ingredients: Olive Leaf extract (organic, minimum 18% oleuropein content), 125 mg combination of the following: Garlic (plant), Goldenseal (root), Milk Thistle (seed), St. John's Wort (plant), Uva Ursi (leaf), American Ginseng (root), Bladderwrack (plant), Cordyceps, Dandelion (root), Noni (dried fruit), White Willow (bark). Other Ingredients: Rice Flour and Vegetarian Capsule. Certified Organic or wild-crafted sources used whenever possible.



G.I. Detox™+

The newly upgraded binding formula inside G.I. Detox™+ **supports enhanced clearance of toxins from the body and the digestive system**, including bacterial endotoxins. Binding agents are especially important when using Biocidin®, as the breakdown of bacterial biofilms and disease-causing bacteria can cause die-off or Herxheimer-type detox reactions. Removing toxins from the gut helps the body to cleanse and eliminate these toxic waste products and speed healing. The unique blend of toxin chelating, absorbing, and mobilizing ingredients inside G.I. Detox™+ provide three types of detoxification support for a wide spectrum of toxins.

Key Ingredients and Benefits*:

Zeolite Clay - This well-known chelating and binding agent aids in excretion of bio-toxins via the kidneys. This zeolite is sourced from the USA and is tested for purity.

Activated Charcoal - This powerful adsorptive agent aids in excretion of a variety of toxic compounds via the liver. It is sourced from bamboo.

Aloe Vera extract - Aloe is famous for its anti-inflammatory and antimicrobial properties*. However, in this formula, it is included for its mildly laxative anthraquinone content, because binders can contribute to constipation in some people, as well as to help soothe and heal the GI mucosa*.

MMST Silica - Silica is another well-known chelating agent, to aid in excretion of heavy metals via the kidneys. Silicon is naturally present in many foods as orthosilicic acid (OSA). This is the form observed to be the most bioavailable. The MMST silica in G.I. Detox™+ is stabilized with Acacia Gum so it can be easily converted to OSA in the digestive tract, for efficient absorption. The Acacia Gum fiber used to stabilize this MMST is suitable for a low FODMAP diet and is in the FODMAP Friendly certification process.

Apple Pectin - This is another well-known chelating agent and biotoxin binder. Pectin has a broad affinity for various toxins, which it can bind and excrete via the kidneys. Pectin fiber is not high in FODMAPS.

Humic/Fulvic mineral powder - Humic and Fulvic acids are found in soil, and are comprised of hydrocarbon-bonded carbohydrates, amino acids, phenol groups, and minerals. They are well-known mobilizing agents for bio-toxins, which can then be excreted via the kidneys.

Each lot of these raw materials is third-party tested for microbes and heavy metals to assure optimal quality.

Ingredients: Proprietary Blend of Zeolite clay, Activated Charcoal, Aloe Vera, MMST Silica, Apple Pectin and Humic/Fulvic Acid in a HMPC veggie cellulose capsule. There are no fillers or other ingredients added at the cGMP manufacturing facility in California.



Precautions

Biocidin®, Olivirex® and G.I.Detox™+ have not been tested or approved for use by those who are pregnant. Do not use during pregnancy. Consult a practitioner qualified to recommend herbal medicine in any case that is severe or unresponsive.

This information is not a substitute for medical advice. These products are nutritional supplements designed to support optimal health. Individual needs and results do vary. Consulting with a qualified practitioner familiar with the use of natural products is recommended.

* These statements have not been evaluated by the Food and Drug Administration (FDA). These products are not intended to diagnose, treat, cure or prevent any disease.

